



## The Measurement of Attention (Paperback)

By Herbert Woodrow

Rarebooksclub.com, United States, 2013. Paperback. Book Condition: New. 246 x 189 mm. Language: English . Brand New Book \*\*\*\*\* Print on Demand \*\*\*\*\*.This historic book may have numerous typos and missing text. Purchasers can usually download a free scanned copy of the original book (without typos) from the publisher. Not indexed. Not illustrated. 1914 edition. Excerpt: .screen was built right into the wall separating the two rooms. A diagram of the apparatus is given in Fig. 6. Figure 6 Diagram of Apparatus for Reactions to Visual Stimuli. B = storage battery. B = origin of the tachistoscope circuit, a circuit shunted off from a no volt direct current supplied by the university. K = key, non-essential, but convenient. Chron. = Hipp s chronoscope. R = slide resistance connected in parallel with the chronoscope. C and C = contacts for double key. DK = double key. M = electro-magnet controlling tachistoscope shutters. S and S = tachistoscope shutters. L = tungsten lamp. Stereop. = stereopticon. I = oblong image on ground glass plate. This image constituted the stimulus. WW = wall separating the experimenter from the subject. RK= subject s reaction key. The double key, DK, when raised to touch the...



**READ ONLINE**

[ 7.32 MB ]

### Reviews

*This publication is amazing. It is definitely basic but shocks in the fifty percent of your publication. You wont feel monotony at anytime of your own time (that's what catalogues are for concerning if you question me).*

-- **Prof. Kirk Cruickshank DDS**

*This kind of book is every little thing and taught me to looking ahead of time and a lot more. I am quite late in start reading this one, but better then never. I found out this book from my dad and i encouraged this pdf to find out.*

-- **Justus Hettinger**